



## GENERAL SPECIFICATIONS

• L.O.A:	8.78 m
• Hull length:	7.98 m
• Beam:	2.98 m
• Light displacement (EC):	2 800 kg
• Air draught:	2.55 m
• Draught:	0.50 m
• Fuel capacity:	400 l
• Freshwater capacity:	100 l
• Maximum engine power:	220 Kw / 300 HP
• Max engine certification:	220 Kw / 300 HP

## ARCHITECT / DESIGNERS

- Naval Architect: BENETEAU POWER
- Interior design: SARRAZIN DESIGN

## EC CERTIFICATE

- Category C - 8 persons
- Category D - 8 persons

## PATENT AIR STEP®

R.M. JEANTET  
P. TABLEAU  
M. TRONQUEZ

## STANDARD EQUIPMENT

### CONSTRUCTION

#### HULL

Technology Air Step®  
Patent Beneteau

Composition:

- Polyester sandwich
- White hull
- Hull counter moulding completely laminated in polyester
- Floating lower hull with extended V bow

#### DECK

Composition:

- Polyester sandwich
- Surfaces with diamond-tip type non-slip covering
- White gel coat
- Part deck counter moulding at forward peak laminated in polyester

### DECK EQUIPMENT

- Navigation lights = 1 all-round light on collapsible samson post
- Bi-colour navigation light
- Water draining scuppers on the catwalks (waterproof cockpit fitted with a canvas cover to aft (optional))

#### MOORING - ANCHORING

- Stainless steel bow fitting with roller
- Self-bailing mooring locker with hatch cover
- Secondary anchor well astern to port
- Eye bolt to secure mooring
- 2 Forward cleats
- 2 Cleats to aft
- 2 Cleats amidships

#### SAFETY ON DECK

- Stainless steel half open pulpit surrounding the cockpit up to the cockpit steps
- 2 Stainless steel handrails on wheelhouse uprights
- 2 Stainless steel handrails on wheelhouse hood

#### COCKPIT

Cockpit dimensions = 1.60 m x 2.55 m

- Self-bailing cockpit
- 1 Large lockable locker in cockpit bottom assisted by 2 gas pistons - 2 Hood cover
- Gas locker built into step of starboard side deck
- 3-seater gas strut assisted folding benchseat for lifting engines
- Additional cockpit fittings (see optional extras)
- Gunwales in plain solid wood
- 2 Rod holders
- 2 Stainless steel fairleads
- Fuel deck filler on stern deck
- Cold water cockpit shower hose, hot water optional
- 2 Extended bathing platforms slatted with solid natural wood
- Stainless steel bathing ladder fitted on bathing platform
- Lighting from 1 ceiling light

### INTERIOR

- Corrado Beige upholstery (Saloon / Cabins)
- Woodwork Alpi Mahogany
- Parquet type laminated floors

#### WHEELHOUSE

Headroom: 1.88 m

- Wheelhouse with one-piece translucent glass windscreen
- PMMA grey tinted side opening windows
- 3 leaf aft window door in translucent PMMA
- Black anodised aluminium frame and lock
- 2 Electric windscreen wipers
- Inside curtains (Windscreen, side windows and aft window door)
- Lighting from 4 ceiling light(s)

#### STEERING STATION (TO STARBOARD)

- Pilot console with space for electronics
- Steering compass
- 6 function 12 V electrical panel
- Fuel gauge indicator
- Engine instrumentation: Rev counter, Control console, Contact key delivered with pre rigging option
- 12 V socket
- De luxe steering wheel
- PVC upholstery padded pilot seat Beige function Bolster
- Pilot footrests
- Glove box
- Lighting from 1 ceiling light

#### GALLEY (TO STARBOARD)

- Laminated kitchen worktop
- Wooden flap to protect worktop
- Stainless steel sink
- Cold water mixer tap under pressure
- Fixed 2 hob cooker
- Fridge 42 L (optional)
- Cutlery drawer
- Cookware Organiser
- 1 Storage cupboard

#### SALOON (TO PORT)

- U-shaped saloon (for up to 4 people) convertible to double berth (2.00 m x 1.10 m)
- Large amount of stowage space under aft benchseat
- Wooden saloon table
- Lighting from 1 ceiling light

#### WASHROOM (TO STARBOARD)

Headroom: 1.75 m

- Polyester sink
- Storage cupboards and cubbyholes
- Shower hose
- Mirror
- Marine toilet
- Rigid sewage tank (Capacity = 80 l)
- Opening hull port
- Lighting from 1 ceiling light

## **FORWARD CABIN**

Headroom: 1.78 m

- Double bed (1.98 m x 1.50 m)
- Shelves and small hanging locker
- 12 V socket
- Storage under berth
- Panoramic windows
- Hull port opening to port side
- Deck house sunroof with fitted mosquito net
- Lighting from 2 ceiling light(s)
- Separation from forward cabin with a rail curtain
- Passageway with benchseat

## **AFT CABIN**

- Double bed (1.86 m x 1.33 m)
- Opening port on wheelhouse
- Cubby hole lockers
- Lighting from 2 ceiling light(s)

## **ELECTRICITY**

---

- 6 function 12 V electrical panel
- 12 V socket
- 3 Bilge pumps: 1 Manual pump, 2 Electric pumps
- Engine battery(ies) supplied with pre-rigging
- 1 Service battery 12 V 110 Ah
- Access to battery space via cockpit locker
- Battery switch
- 1 Electric pump for shower draining

## **PLUMBING**

---

- Flexible water tank (Capacity = 100 l)
- Water pump for pressure building

## TRIM LEVEL

	AVANTAGE	ELEGANCE	NORDIC
M/D 700 W Vertical electrical windlass + Remote control + Bow hinge	■	■	
Fridge 42 l	■	■	■
Natural solid wood cockpit table	■	■	■
PVC Beige forward sun mattress	■	■	
CD/MP3 radio PLAYER + 2 Loud speakers		■	■
Bow thruster + Spare battery 12 V		■	■
25L water heater on 220V circuit		■	■

## OPTIONS

### PACKS

---

#### PACK ELECTRONIC RAYMARINE

- GPS screen - Chart plotter RAYMARINE A50D
- Thru-hull transducer
- Log, Speed, Depth and Temperature

### OTHER OPTIONS

---

- Electric heating on 220V circuit
- 20L microwave on 220V circuit
- Mooring kit
- Closing panel aft in "DUNE" fabric
- Cockpit canopy in "DUNE" fabric
- L-shaped cockpit bench seat
- "CORAIL" wheelhouse carpet
- Natural solid wood cockpit
- Steel blue hull
- PRE RIG SUZUKI - 250 HP
- PRE RIG SUZUKI - Twin engine - 2 x 150 HP
- PRE RIG YAMAHA - 225-300 HP
- PRE RIG YAMAHA - Twin engine - 2 x 150 HP
- PRE RIG HONDA - Twin engine - 2 x 150 HP